



TAUNUS 17M





Powerful performance from the refined Taunus 17 M motor 1758 cc; 77 HP (SAE), from 0 - 100 km (0 - 62.1 mph) in just 17.5 seconds. Quick power for every driving situation.



Taunus 17 M's famous fully synchronized 4-speed gearbox - the smooth shifting that makes driving a pleasure.



Built-in safety features such as the instrument panel assist grip and fittings for safety belts are included in the »TS« sport package.



Individual "bucket-type" front seats are posture designed, adjustable 4-ways - a true driver benefit for long trips!



Attention to detail - the functional transmission tunnel console with a hinged lid is just right for package and papers.



Multi-tone horns are an important safety feature. Other special »TS« features are special body colours, "wall to wall" interior carpeting.

TAUNUS 17 M »TS«

Introducing the new 17 M "Taunus Sport" package: the proven quality of the popular Taunus 17 M plus an exciting new performance "personality". The famous 1.7 liter Taunus motor has been refined to give you even more outstanding performance through increased capacity and horsepower: 77 HP (SAE); 1758 cc; maximum and cruising speed 145-150 km/h (90-93 mph). An improved muffler cuts down on power loss. Increased braking power matches increased motor power. And specially designed interiors are perfectly suited to this new "personality": smart, functional, individual. The Taunus 17 M »TS« package - special equipment for the more demanding motorist.

2 - Door 4 - Door

Technical Data

Engine: 4-cylinder, OHV; bore 85.5 mm (3.37 ins.); stroke 76.6 mm (3.02 ins.); displacement 1758 cm³ (107.3 cu. ins.); compression ratio 8.5:1; output 77 HP (SAE) at 4750 rpm; torque 14.3 mkg (103.6 ft. lbs.) at 2200 rpm; pre-heated carburetor; special exhaust unit; full-flow oil filter.

Transmission: Dry single disc clutch; fully synchronized 4-speed transmission; steering column gear shift lever; rigid hypoid rear axle.

Brakes: Hydraulic, acting on four wheels, two leading shoes front; mechanical parking brake acting on rear wheels.

Weight: Curb weight 2-Door 930 kg (2050 lbs.); 4-Door 950 kg (2095 lbs.); payload 2-Door 410 kg (905 lbs.), 4-Door 390 kg (860 lbs.).

Measurements: Length 4452 mm (175.2 ins.); width 1670 mm (65.8 ins.); height 1450 mm (57.1 ins.).

General Data: Maximum and cruising speed 145-150 km/h (90-93 mph); acceleration 0-100 km/h 17.5 s; fuel consumption (super gasoline required) 9.0 l/100 km (31.3 miles p. Imp. gal.).

Right for modification reserved

SOFUS Neilemann in a. H.
v. F. v. Neilemann
AUT. FORD & FORDSON FORHANDLER
Strømmen 27 - Telf. 3232*
RANDERS

TAUNUS 17M »TS«

1 XD 62/E Export Operations

Printed in Western Germany

FORD-WERKE AG., COLOGNE

