




SPORT ACCESSORIES





For that distinctive, individual sporty appearance, and to enhance your driving pleasure, take a look at the RS Sport range of performance accessories. There's a tremendous selection of wind-cheating spoilers, racing leather-rimmed steering wheels and wide, light alloy road wheels. Plus all the special items you'll need – like wheel arch extensions and locking wheel bolts. They are designed to fit perfectly and are all manufactured to the highest Ford standards and available from your local Ford Dealer.





CONTENTS


FIESTA <i>from 08/83</i>	4
FIESTA <i>up to 07/83</i>	6
ESCORT & CABRIOLET <i>from 03/86</i>	8
ESCORT & CABRIOLET <i>up to 02/86</i>	10
ORION <i>from 03/86</i>	12
ORION <i>up to 02/86</i>	14
SIERRA (HATCHBACK) <i>from 03/87</i>	16
SIERRA SAPPHIRE & ESTATE <i>from 03/87</i>	18

SIERRA <i>up to 02/87</i>	20
CAPRI <i>from 01/78</i>	22
GRANADA <i>from 05/85</i>	24
GRANADA <i>from 09/77 up to 04/85</i>	26
CORTINA <i>from 08/76 up to 07/82</i>	26
SPORTS SUSPENSION/ LOWERING KIT FOR SIERRA	27
WIDE ALLOY WHEELS FOR THE TRANSIT	27





FIESTA from 08/83



EXTERIOR Description	Part No.	Qty. Reqd.
SPOILER AND BODYSKIRT KITS - PU FOAM All models <i>except</i> XR2		
FRONT SPOILER KIT	5 050 021	1
BODYSIDE SKIRT KIT	5 050 023	1
REAR END SKIRT KIT	5 050 026	1
LIFTGATE SPOILER KIT - PU FOAM	5 016 287	1
Spoilers and bodyskirts are flexible and highly resistant to minor bumps.		
LOCKABLE ALLOY ROAD WHEEL 6"×13	9 059 485	4
For tyres 165/65 R13 or 185/60 R13 All models The following parts are also required:		
Locking centre cap	9 059 506	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel bolts	6 117 147	16
Steering rack limiter <i>except</i> XR2	9 059 757	1
Halfshaft right for 1.0/1.1	5 050 045	1
Halfshaft right for 1.6 Diesel	1 625 494	1


EXTERIOR Description	Part No.	Qty. Reqd.
ALLOY ROAD WHEEL 5½"×14	9 059 022	4
For tyres 185/50 R14 All models The following parts are also required:		
Centre cap	9 059 073	4
Wheel bolts	6 117 147	16
Steering rack limiter kit <i>except</i> XR2	9 059 757	1
Halfshaft right for 1.0/1.1	5 050 045	1
Halfshaft right for 1.6 Diesel	1 625 494	1
LOCKABLE ALLOY ROAD WHEEL 6"×14	5 013 238	4
For tyres 185/50 R14 All models The following parts are also required:		
Locking centre cap	5 013 237	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel bolts	6 117 147	16
Steering rack limiter kit <i>except</i> XR2	9 059 757	1
Halfshaft right for 1.0/1.1	5 050 045	1
Halfshaft right for 1.6 Diesel	1 625 494	1

INTERIOR Description	Part No.	Qty. Reqd.
RS LEATHER STEERING WHEEL KITS		
Three-spoke design	5 012 333	1
Four-spoke design	5 012 335	1
Rim diameter 360mm		





FIESTA up to 07/83



EXTERIOR Description	Part No.	Qty. Reqd.
FRONT PANEL EXTENSION KIT – PU RIM All models <i>except</i> XR2	9 055 064	1
FRONT SPOILER KIT – PU RIM All models <i>except</i> XR2	9 055 799	1
LIFTGATE SPOILER KIT – PU FOAM All models <i>except</i> XR2	1 604 559	1
ROOF SPOILER KIT – PU FOAM All models	9 057 597	1
BODY CONVERSION PARTS – PU RIM XR2 design for all models		
Front spoiler	6 097 395	1
Wheel arch extension, <i>front RH</i>	6 099 216	1
Wheel arch extension, <i>front LH</i>	6 099 217	1
Wheel arch extension, <i>rear RH</i>	6 099 218	1
Wheel arch extension, <i>rear LH</i>	6 099 220	1
BODYSIDE SKIRT KIT – PU RIM For wheel arch extensions fitted to Fiesta XR2, Super S	9 057 600	1

EXTERIOR Description	Part No.	Qty. Reqd.
LOCKABLE ALLOY ROAD WHEEL 6"×13 For tyres 185/60 R13 All models	9 059 485	4
The following parts are also required:		
Locking centre cap	9 059 506	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel bolts	6 117 147	16
Engine lowering kit		
For engines 1.0/1.1 (– 25mm)	9 055 601	1
For engine 1.3 (– 25mm)	9 055 588	1
Tiebar kit	9 055 574	1
All models <i>except</i> XR2		
Steering rack limiter kit	9 055 787	1
All models <i>except</i> XR2		

INTERIOR Description	Part No.	Qty. Reqd.
RS LEATHER STEERING WHEEL KITS		
Three-spoke design	9 055 666	1
Four-spoke design	9 055 933	1
Rim diameter 360mm		





ESCORT & CABRIOLET from 03/86



EXTERIOR Description	Part No.	Qty. Reqd.
----------------------	----------	------------

FRONT SPOILER KIT – PU RIM All models <i>except XR2 derivatives and RS Turbo</i>	5 050 068	1
FRONT SPOILER KIT – PU RIM For XR derivatives and RS Turbo	5 050 111	1
BODYSIDE SKIRT KIT – PU FOAM For 3-door models	5 050 457	1
For 5-door models	5 050 443	1
REAR BUMPER SKIRT KIT – PU RIM All models <i>except Estate</i>	5 050 076	1
REAR WING SPOILER KIT – PU FOAM All Saloons	5 050 072	1
REAR WING SPOILER KIT – PU FOAM For Cabriolet	5 050 346	1
Spoilers and bodyskirts are flexible and highly resistant to minor bumps. All front spoilers and body skirts are supplied black primed. Painting is recommended for optimum appearance.		
LOCKABLE ALLOY ROAD WHEEL 6"×13 For tyres 175/70 R13 or 185/70 R13 All models <i>except RS Turbo</i> The following parts are also required:	9 059 485	4
Locking centre cap	9 059 506	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel bolts	6 117 147	16
ALLOY ROAD WHEEL 5½"×14 For tyres 185/60 R14 All models The following parts are also required:	9 059 022	4
Wheel centre cap	9 059 073	4
Wheel bolts	6 117 147	16

EXTERIOR Description	Part No.	Qty. Reqd.
----------------------	----------	------------

LOCKABLE ALLOY ROAD WHEEL 6"×14 For tyres 185/60 R14 All models The following parts are also required:	5 013 238	4
Locking centre cap	5 013 237	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel bolts	6 117 147	16
ALLOY ROAD WHEEL 6"×15 For tyres 195/50 R15 All models The following parts are also required:	1 627 587	4
Wheel centre cap	9 059 073	4
Wheel bolts	6 117 147	16
Steering rack limiter kit	9 059 757	1
ALLOY ROAD WHEEL 6"×15 As Turbo For tyres 195/50 R15 All models The following parts are also required:	1 637 772	4
Wheel centre cap	6 148 878	4
Wheel bolts	6 117 147	16
Steering rack limiter kit	9 059 757	1


INTERIOR Description	Part No.	Qty. Reqd.
----------------------	----------	------------

RS LEATHER STEERING WHEEL KITS All models		
Three-spoke design	5 012 676	1
Four-spoke design	5 012 677	1
Rim diameter 360mm		





ESCORT & CABRIOLET up to 02/86



EXTERIOR Description	Part No.	Qty. Reqd.
----------------------	----------	------------

FRONT SPOILER KIT – PU RIM All models	9 057 706	1
--	-----------	---

May be fitted on its own or in conjunction with a rear spoiler including XR3i

WHEEL ARCH EXTENSION KIT (LOWER) – PU RIM All models	9 057 724	1
---	-----------	---

May be fitted to the rear of the front wheel arch and/or to the front of the rear wheel arch on 3-door models as for XR3i.

REAR WING SPOILER KIT – PU FOAM All models except Estate and Cabriolet	9 057 709	1
---	-----------	---

REAR WING SPOILER KIT – PU FOAM Cabriolet only	5 050 346	1
---	-----------	---

BODY CONVERSION KIT – ABS 3-door Saloon and Cabriolet	9 057 763	1
5-door Saloon	5 050 107	1

Kit includes: front spoiler, wheel arch extensions and bodyside skirts.

Easy fit; no cutting of wheel arches required.

Spoilers and bodyskirts are flexible and highly resistant to minor bumps.

Painting is recommended for optimum appearance.

LOCKABLE ALLOY ROAD WHEEL 6"×13 For tyres 175/70 or 185/70 R13 All models except RS Turbo	9 059 485	4
---	-----------	---

The following parts are also required:

Locking centre cap	9 059 506	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel bolts	6 117 147	16

EXTERIOR Description	Part No.	Qty. Reqd.
----------------------	----------	------------

ALLOY ROAD WHEEL 5½"×14 For tyres 185/60 R14 All models	9 059 022	4
---	-----------	---

The following parts are also required:

Wheel centre cap	9 059 073	4
Wheel bolts	6 117 147	16

LOCKABLE ALLOY ROAD WHEEL 6"×14 For tyres 185/60 R14 All models	5 013 238	4
---	-----------	---

The following parts are also required:

Locking centre cap	5 013 237	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel bolts	6 117 147	16

ALLOY ROAD WHEEL 6"×15 For tyres 195/50 R15 All models	1 627 587	4
--	-----------	---

The following parts are also required:

Wheel centre cap	9 059 073	4
Wheel bolts	6 117 147	16
Steering rack limiter kit up to 04/83	9 055 787	1
from 05/83	9 059 757	1

INTERIOR Description	Part No.	Qty. Reqd.
----------------------	----------	------------

RS LEATHER STEERING WHEEL KITS All models		
Three-spoke design	9 057 639	1
Four-spoke design	9 057 640	1
Rim diameter 360mm		





ORION from 03/86



EXTERIOR Description	Part No.	Qty. Reqd.
FRONT SPOILER KIT – PU RIM All models Only to be fitted in conjunction with rear wing spoiler 5 050 084	5 050 068	1
BODYSIDE SKIRT KIT – PU FOAM All models	5 050 443	1
REAR BUMPER SKIRT KIT – PU RIM All models	5 050 088	1
REAR WING SPOILER KIT – PU FOAM All models Spoilers and bodyskirts are flexible and highly resistant to minor bumps. Front spoiler and body skirts are supplied black primed. Painting is recommended for optimum appearance.	5 050 084	1
LOCKABLE ALLOY ROAD WHEEL 6"×13 For tyres 175/70 R13 or 185/70 R13 All models The following parts are also required:	9 059 485	4
Locking centre cap	9 059 506	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel bolts	6 117 147	16
ALLOY ROAD WHEEL 5½"×14 For tyres 185/60 R14 All models The following parts are also required:	9 059 022	4
Wheel centre cap	9 059 073	4
Wheel bolts	6 117 147	16


EXTERIOR Description	Part No.	Qty. Reqd.
LOCKABLE ALLOY ROAD WHEEL 6"×14 For tyres 185/60 R14 All models The following parts are also required:	5 013 238	4
Locking centre cap	5 013 237	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel bolts	6 117 147	16
ALLOY ROAD WHEEL 6"×15 For tyres 195/50 R15 All models The following parts are also required:	1 627 587	4
Wheel centre cap	9 059 073	4
Wheel bolts	6 117 147	16
Steering rack limiter kit	9 059 757	1
ALLOY ROAD WHEEL 6"×15 As Escort Turbo For tyres 195/50 R15 All models The following parts are also required:	1 637 772	4
Wheel centre cap	6 148 878	4
Wheel bolts	6 117 147	16
Steering rack limiter kit	9 059 757	1

INTERIOR Description	Part No.	Qty. Reqd.
RS LEATHER STEERING WHEEL KITS All models		
Three-spoke design	5 012 676	1
Four-spoke design	5 012 677	1
Rim diameter 360mm		





ORION up to 02/86



EXTERIOR Description	Part No.	Qty. Reqd.
FRONT SPOILER KIT – PU RIM All models	9 057 706	1
REAR WING SPOILER KIT – PU FOAM All models	5 050 084	1
WHEEL ARCH EXTENSION KIT (LOWER) – PU RIM XR3i air deflector – can also be fitted on the rear of front wheel arch All models	9 057 724	1
BODY CONVERSION KIT – ABS Kit includes: front spoiler, wheel arch extensions and bodyside skirts. Easy fit; no cutting of wheel arches required Spoilers and bodyskirts are flexible and highly resistant to minor bumps. Painting is recommended for optimum appearance.	5 050 107	1
LOCKABLE ALLOY ROAD WHEEL 6"×13 For tyres 175/70 or 185/70 R13 All models The following parts are also required:	9 059 485	4
Locking centre cap	9 059 506	4
Locking bolt kit 4 bolts and 2 keys	9 059 406	1
Wheel bolts	6 117 147	16

EXTERIOR Description	Part No.	Qty. Reqd.
ALLOY ROAD WHEEL 5½"×14 For tyres 185/60 R14 All models The following parts are also required:	9 059 022	4
Wheel centre cap	9 059 073	4
Wheel bolts	6 117 147	16
LOCKABLE ALLOY ROAD WHEEL 6"×14 For tyres 185/60 R14 All models The following parts are also required:	5 013 238	4
Locking centre cap	5 103 237	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel bolts	6 117 147	16

INTERIOR Description	Part No.	Qty. Reqd.
RS LEATHER STEERING WHEEL KITS All models		
Three-spoke design	9 057 639	1
Four-spoke design Rim diameter 360mm	9 057 640	1





SIERRA (HATCHBACK) from 03/87



EXTERIOR Description	Part No.	Qty. Reqd.
FRONT SPOILER KIT – PU RIM		
Without fog lamps	5 050 309	1
For use with integrated fog lamps	5 050 404	1
BODYSIDE SKIRT KIT – PU RIM	5 050 322	1
REAR BUMPER SKIRT KIT – PU RIM	5 050 327	1
REAR SLIMLINE SPOILER KIT – PU FOAM	5 050 316	1
REAR WING SPOILER KIT – PU FOAM	5 050 313	1
Spoilers and bodyskirts are flexible and highly resistant to minor bumps.		
All front spoilers and body skirts are supplied black primed.		
Painting is recommended for optimum appearance.		
LOCKABLE ALLOY ROAD WHEEL 6" x 13*	5 012 447	4
For tyres 185/70 R13		
All models <i>except XR4x4 and vehicles with ABS brake systems</i>		
The following parts are also required:		
Locking centre cap	9 959 506	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	16
ALLOY ROAD WHEEL 5½" x 14	6 148 505	4
For tyres 195/60 R14 or 195/65 R14		
All models <i>except XR4x4</i>		
The following parts are also required:		
Wheel centre cap	5 012 503	4
Wheel nuts	6 111 766	16
LOCKABLE ALLOY ROAD WHEEL 6" x 14*	5 013 239	4
For tyres 195/60 R14, 195/65 R14 or 205/60 R14		
All models <i>except XR4x4</i>		
The following parts are also required:		
Locking centre cap	5 013 237	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	16

EXTERIOR Description	Part No.	Qty. Reqd.
ALLOY ROAD WHEEL 6" x 15*	5 012 449	4
For tyres 205/50 R15 or 205/55 R15		
All models <i>except XR4x4</i>		
The following parts are also required:		
Wheel centre cap	9 059 073	4
Wheel nuts	6 111 766	16
LOCKABLE ALLOY ROAD WHEEL 7" x 15*	5 050 065	4
For tyres 205/50 R15 or 205/55 R15		
All models <i>except XR4x4</i>		
The following parts are also required:		
Locking centre cap	9 059 362	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	16
LOCKABLE ALLOY ROAD WHEEL 7" x 16*	5 050 066	4
For tyres 195/50 R16		
All models <i>except XR4x4</i>		
The following parts are also required:		
Locking centre cap	9 059 362	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	16
SPORTS SUSPENSION/LOWERING KIT		
All models <i>except XR4x4</i>		
Front axle	5 050 418	1
Rear axle	5 050 427	1
Fit front and rear kits for matched ratings.		
See page 27 for illustration and details.		
*Wheel arch modification necessary – please consult your Ford Dealer for installation.		
INTERIOR Description	Part No.	Qty. Reqd.
RS LEATHER STEERING WHEEL KITS		
<i>With centre horn actuation for all models</i>		
Three-spoke design	5 012 641	1
Four-spoke design	5 012 642	1
Rim diameter 360mm		





SIERRA SAPPHIRE & ESTATE from 03/87



EXTERIOR Description	Part No.	Qty. Reqd.
FRONT SPOILER KIT – PU RIM		
All models		
Without fog lamps	5 050 309	1
For use with integrated fog lamps	5 050 404	1
BODYSIDE SKIRT KIT – PU RIM	5 050 322	1
All models		
REAR BUMPER SKIRT KIT – PU RIM		
Sapphire	5 050 330	1
Estate	5 050 333	1
REAR SLIMLINE SPOILER KIT – PU FOAM	5 050 319	1
Sapphire		
LOCKABLE ALLOY ROAD WHEEL 6"×13	5 012 447	4
For tyres 185/70 R13* <i>Sapphire only</i>		
For tyres 175 R13 or 195/70 R13* <i>Estate only.</i>		
All models <i>except Estate 4×4 and vehicles with ABS brake systems.</i>		
The following parts are also required:		
Locking centre cap	9 959 506	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	16
ALLOY ROAD WHEEL 5½"×14	6 148 505	4
For tyres 195/60 R14 or 195/65 R14		
All models <i>except Estate 4×4 (Estate axle load 1030kg max.)</i>		
The following parts are also required:		
Wheel centre cap	5 012 503	4
Wheel nuts	6 111 766	16
LOCKABLE ALLOY ROAD WHEEL 6"×14*	5 013 239	4
For tyres 195/60 R14, 195/65 R14 or 205/60 R14		
All models <i>except Estate 4×4</i>		
<i>(Axle load for 195 tyres on Estate 1030kg max.)</i>		
<i>(Axle load for 205 tyres on Estate 1090kg max.)</i>		
The following parts are also required:		
Locking centre cap	5 013 237	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	16


EXTERIOR Description	Part No.	Qty. Reqd.
ALLOY ROAD WHEEL 6"×15*	5 012 449	4
For tyres 205/50 R15 or 205/55 R15		
All models <i>except Estate</i>		
The following parts are also required:		
Wheel centre cap	9 059 073	4
Wheel nuts	6 111 766	16
LOCKABLE ALLOY ROAD WHEEL 7"×15*	5 050 065	4
For tyres 205/50 R15 or 205/55 R15		
All models <i>except Estate 4×4</i>		
The following parts are also required:		
Locking centre cap	9 059 362	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	16
<i>(Axle load for 205/50 R15 on Estate 1030kg max.)</i>		
<i>(Axle load for 205/55 R15 on Estate 1090kg max.)</i>		
LOCKABLE ALLOY ROAD WHEEL 7"×16*	5 050 066	4
For tyres 195/50 R16		
All models <i>except Estate 4×4</i>		
The following parts are also required:		
Locking centre cap	9 059 362	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	16
<i>(Estate axle load 970kg max.)</i>		
SPORTS SUSPENSION/LOWERING KIT		
Sapphire		
Front axle	5 050 418	1
Rear axle	5 050 427	1
Fit front and rear kits for matched ratings.		
See page 27 for illustration and details.		
<i>*Wheel arch modification necessary – please consult your Ford Dealer for installation.</i>		

INTERIOR Description	Part No.	Qty. Reqd.
RS LEATHER STEERING WHEEL KITS		
<i>With centre horn actuation for all models</i>		
Three-spoke design	5 012 641	1
Four-spoke design	5 012 642	1
Rim diameter 360mm		





SIERRA up to 02/87



EXTERIOR Description	Part No.	Qty. Reqd.
FRONT SPOILER KIT – PU RIM For Base, L, GL up to 10/84 For Base, L, GL from 11/84 For Ghia and S	5 050 046 5 050 098 5 050 101	1 1 1
BODYSIDE SKIRT KIT – PU RIM All models <i>except XR4i</i>	5 050 054	1
REAR BUMPER SKIRT KIT – PU RIM All Models <i>except Estate</i>	5 050 050	1
REAR WING SPOILER KIT – PU FOAM All models <i>except XR4i, XR4x4 and Estate</i>	9 059 430	1
REAR SLIMLINE SPOILER KIT – PU FOAM All models <i>except XR4i, XR4x4, 2.0 ltr. S and Estate</i>	5 050 316	1
REAR WING SPOILER KIT – PU FOAM All models <i>except XR4i, XR4x4, 2.0 ltr. S and Estate</i>	5 050 313	1
LOCKABLE ALLOY ROAD WHEEL 6"×13 For tyres 185/70 R13 <i>Saloon only</i> For tyres 175 R13 or 195/70 R13 <i>Estate only</i> All models <i>except XR, Cosworth and vehicles with ABS brake systems.</i> The following parts are also required:	5 012 447	4
Locking centre cap	9 059 506	4
Locking bolt kit 4 bolts and 2 keys	9 059 406	1
Wheel nuts	6 111 766	16
ALLOY ROAD WHEEL 5½"×14 For tyres 195/60 R14 All models <i>except Cosworth (Estate axle load 1030kg max.)</i> The following parts are also required:	6 148 505	4
Wheel centre cap	5 012 503	4
Wheel nuts	6 111 766	16
ALLOY ROAD WHEEL 6"×15 For tyres 205/50 R15 All Saloons <i>except Cosworth</i> The following parts are also required:	5 012 449	4
Wheel centre cap	9 059 073	4
Wheel nuts	6 111 766	16

EXTERIOR Description	Part No.	Qty. Reqd.
LOCKABLE ALLOY ROAD WHEEL 6"×14 For tyres 195/60 R14, 205/60 R14 on Saloon <i>except Cosworth</i> For tyres 205/60 R14 on Estate <i>except Estate 4x4</i> For tyres 195/60 R14 only on XR4x4 and Estate 4x4 (Axle load for 195 tyres on Estate 1030kg max.) (Axle load for 205 tyres on Estate 1090kg max.) The following parts are also required:	5 013 239	4
Locking centre cap	9 059 406	4
Locking bolt kit 4 bolts and 2 keys	9 059 406	1
Wheel nuts	6 111 766	16
LOCKABLE ALLOY ROAD WHEEL 7"×15* For tyres 205/50 R15 All models <i>except XR4x4 and Cosworth</i> The following parts are also required:	5 050 065	4
Locking centre cap	9 059 362	4
Locking bolt kit 4 bolts and 2 keys	9 059 406	1
Wheel nuts	6 111 766	16
(Estate axle load 1030kg max.)		
LOCKABLE ALLOY ROAD WHEEL 7"×16* For tyres 195/50 R16 All models <i>except Cosworth</i> The following parts are also required:	5 050 066	4
Locking centre cap	9 059 362	4
Locking bolt kit 4 bolts and 2 keys	9 059 406	1
Wheel nuts	6 111 766	16
(Estate axle load 970kg max.)		
<i>*Wheel arch modification necessary – please consult your Ford dealer for installation.</i>		
SPORTS SUSPENSION/LOWERING KIT All saloons <i>except XR and Cosworth</i> See page 27 for illustration and page 16 for ordering details.		
INTERIOR Description	Part No.	Qty. Reqd.
RS LEATHER WHEEL KITS For Base and L For horn actuation in flasher lever		
Three-spoke design	9 057 639	1
Four-spoke design	9 057 640	1
For GL, Ghia and XR4i For centre horn actuation		
Three-spoke design	5 012 641	1
Four-spoke design	5 012 642	1
Rim diameter 360mm		





CAPRI from 01/78



EXTERIOR Description	Part No.	Qty. Reqd.
----------------------	----------	------------

FRONT SPOILER KIT – PU RIM

All models

Without wheel arch extensions

9 057 604 1

Only with large wheel arch extensions

9 057 726 1

REAR SPOILER KIT – PU FOAM

All models

Capri S type spoiler

9 053 195 1

Capri Turbo wing spoiler

9 055 966 1

The fitting of the Turbo wing spoiler is only permissible in conjunction with front spoilers 9 057 604 or 9 057 726.

BODY CONVERSION KIT – ABS

9 059 455 1

All models

Kit includes: front spoiler, wheel arch extensions, bodyside and rear end skirts and door claddings.

Spoilers and bodyskirts are flexible and highly resistant to minor bumps.

Painting is recommended for optimum appearance.

EXTERIOR Description	Part No.	Qty. Reqd.
----------------------	----------	------------

LOCKABLE ALLOY ROAD WHEEL 7"×13

1 627 081 4

For tyres 205/60 R13

All models

The following parts are also required:

Locking centre cap

9 059 362 4

Locking bolt kit 4 bolts & 2 keys

9 059 406 1

Wheel nuts

6 111 766 16

LOCKABLE ALLOY ROAD WHEEL 7"×15

5 012 467 4

For tyres 205/50 R15

All models

The following parts are also required:

Locking centre cap

9 059 362 4

Locking bolt kit 4 bolts & 2 keys

9 059 406 1

Wheel nuts

6 111 766 16

INTERIOR Description	Part No.	Qty. Reqd.
----------------------	----------	------------

RS LEATHER STEERING WHEEL KITS

All models

Three-spoke design

9 055 664 1

Four-spoke design


9 055 939 1

Rim diameter 360mm





GRANADA from 05/85



EXTERIOR Description	Part No.	Qty. Reqd.
FRONT SPOILER KIT – PU RIM All models	5 050 019	1
KIT OF 2 HOUSINGS R/L for fog lamps	5 050 002	1
FOG LAMP KIT Front spoiler requires fog lamp housing	5 050 041 5 050 002	1 1
BODYSIDE SKIRT KIT R/L – PU RIM All models	5 050 008	1
REAR BUMPER SKIRT KIT – PU RIM All models	5 050 004	1
REAR WING SPOILER KIT – PU FOAM All models	5 050 012	1
REAR 3-PIECE SPOILER KIT – PU FOAM All models	5 050 014	1
REAR WING SPOILER KIT – PU FOAM Contour following, slimline profile Spoilers and bodyskirts are flexible and highly resistant to minor bumps. Front spoiler and bodyskirts are supplied black primed. Painting is recommended for optimum appearance.	5 050 338	1
LOCKABLE ALLOY ROAD WHEEL 6"×14 For tyres 175, 185/70 or 195/70 R14 All models <i>except</i> 4×4 The following parts are also required:	5 013 236	4
Locking centre cap	5 013 237	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	20

EXTERIOR Description	Part No.	Qty. Reqd.
ALLOY ROAD WHEEL 6"×15 As on 4×4 from 9/86 For tyres 195/65 R15 or 205/60 R15 The following parts are also required:	6 167 669	4
Wheel centre cap	5 012 503	4
Wheel nuts	6 111 766	20
ALLOY ROAD WHEEL 6½"×15 For tyres 195/65 R15 All models <i>except</i> 4×4 The following parts are also required:	9 059 034	4
Wheel centre cap	9 059 073	4
Wheel nuts	6 111 766	20
LOCKABLE ALLOY ROAD WHEEL 7"×15* For tyres 195/60 R15, 195/65 R15 or 205/60 R15 All models The following parts are also required:	5 050 301	4
Locking centre cap	9 059 362	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	20
LOCKABLE ALLOY ROAD WHEEL 7"×16* For tyres 205/55 R16 All models The following parts are also required:	5 050 064	4
Locking centre cap	9 059 362	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	20

*Wheel arch modification necessary – please consult your Ford Dealer for installation.

INTERIOR Description	Part No.	Qty. Reqd.
RS LEATHER STEERING WHEEL KITS <i>Not for models with speed control</i>		
Three-spoke design	5 012 676	1
Four-spoke design	5 012 677	1
Rim diameter 360mm		





GRANADA & CORTINA

GRANADA from 09/77 up to 04/85

EXTERIOR Description	Part No.	Qty. Reqd.
FRONT SPOILER KIT – PU RIM		
All models		
Slim design	9 055 687	1
Deep design	9 059 346	1
Towing eye 9 053 271 will be required in addition when fitting the front spoiler		
9 059 346 to models prior to 8/81.		
REAR SPOILER KIT – PU FOAM		
All models <i>except Estate</i>		
Design as 2.8i	9 055 572	1
Wing spoiler	9 059 350	1
WHEEL ARCH AND BODYSIDE SKIRT KIT – ABS		
To match the front spoiler 9 059 346	5 059 456	1
All models with plastic end caps		
Spoilers and bodyskirts are flexible and highly resistant to minor bumps.		
Painting is recommended for optimum appearance.		
LOCKABLE ALLOY ROAD WHEEL 6" x 14		
For tyres 185 R14, 205/70 R14	5 013 236	4
Saloon only		
The following fitting parts are also required:		
Locking centre cap	5 013 237	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	20
ALLOY ROAD WHEEL 6½" x 15		
For tyres 205/60 R15, 215/60 R15	9 059 034	4
All models from 8/81		
The following fitting parts are also required:		
Wheel centre cap	9 059 073	4
Wheel nuts	6 111 766	20

EXTERIOR Description	Part No.	Qty. Reqd.
LOCKABLE ALLOY ROAD WHEEL 7" x 15		
For tyres 205/60 R15	5 050 301	4
All models from 8/81		
(Axle load on Estate 1120kg max.)		
The following fitting parts are also required:		
Locking centre cap	9 059 362	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	20
LOCKABLE ALLOY ROAD WHEEL 7" x 16		
For tyres 205/55 R16	5 050 064	4
All models from 8/81		
(Axle load on Estate 1120 kg max.)		
The following fitting parts are also required:		
Wheel centre cap	9 059 362	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	20

INTERIOR Description	Part No.	Qty. Reqd.
RS LEATHER STEERING WHEEL KITS		
Three-spoke design	9 055 662	1
Suitable for all models fitted with power steering up to 8/81		
Rim diameter 360mm		

CORTINA from 08/76 up to 07/82

EXTERIOR Description	Part No.	Qty. Reqd.
FRONT SPOILER KIT – PU RIM		
08/79 to 07/82	9 055 760	1
08/76 to 07/79	9 053 249	1
REAR SPOILER – PU SOFT FOAM		
08/76 to 07/82 flat version	9 055 762	1
08/76 to 07/82 high version	9 053 250	1
LOCKABLE ALLOY ROAD WHEEL 6" x 13		
For tyres 185/70 R13 and 205/60 R13	5 012 447	4
The following fitting parts are also required:		
Locking centre cap	9 059 506	4
Locking bolt kit 4 bolts & 2 keys	9 059 406	1
Wheel nuts	6 111 766	16

NEW



SPORTS SUSPENSION/ LOWERING KIT FOR SIERRA

- Optimum base settings for comfortable long-distance motoring and sporty handling.
- Lowering up to 30mm by matching progressive rate springs.
- Front ride height is adjustable in 6 positions to cover different models and engine weights.
- Easy front strut adjustment from SOFT to STIFF, even in installed condition, by simply turning knob at top of strut.
- On rear shock absorber, disconnect bottom end and turn for stiffer settings.
- Settings matched for wide RS alloy wheels with low profile tyres.
- Contact your Ford Dealer for installation. Fitting instructions giving adjustment levels and axle data are included in the kits.



WIDE ALLOY WHEELS FOR THE TRANSIT

Sporty cast alloy road wheels complement your Transit's winning looks, enhance its positive handling qualities and set it distinctly apart from the rest.

These attractive, wide alloy wheels are suitable for all Transit models with a five-hole wheel fixing and no vehicle modifications are required before fitment. They are designed for wide, low profile tyres. Locking wheel nuts are also available.

Ordering details including related fitting parts are:

Description	Part No.	Qty. Reqd.
ALLOY ROAD WHEEL 7" x 14 For tyres 205/70 R14 (reinforced) All models from 11/85 (with five hole wheel fixing) The following parts are also required:	9 055 785	4
Wheel centre cap	9 055 904	4
Wheel nuts	9 053 135	20



The illustrations and specifications presented in and with this publication were true and accurate at time of printing. You should, however, check details with your Ford Dealer as there may have been specification and appearance changes in view of the Ford policy of continuous improvement. The right is reserved to change specifications, prices and colours.



Ford Motor Company Limited,
Parts Operations,
Royal Oak Way South, Daventry,
Northants NN11 5NT.

